Agrarische

Many regions in the UK are deficient in Selenium, and Cobalt which is required by ruminants to synthesise Vitamin B12. Maxigro helps to compensate for deficiencies in forage which can cause many problems eventually leading to weight loss.



ADMINISTRATION:

Young Lambs

Administer as a drench having first checked the applicator for safety and accuracy. Repeat as required, but at no less than 4-6 week intervals. Shake well before use. Do not exceed the recommended feeding rate.

Lambs over 3 months	5ml
Adult Sheep	5ml
Calves	5ml
Growing Cattle	15ml
Adult Cattle	20ml

ADDITIVES (PER LITRE)

Ira	~	-	αm		TO.
Tra	ᅜ	-	СП	GI.	шэ

Cobali (E3, Cobalidas Salphale)	9090119
Selenium (E8, Sodium selenate)	475mg
Vitamins	
E672 Vitamin A	90000iu
E671 Vitamin D3	67500iu
Vitamin B12 (as Cyanocobalamin)	175mg
Vitamin E	7250iu

COMPOSITION: Water, Monopropylene glycol

WARNINGS: NOT FOR HUMAN CONSUMPTION. FOR FEEDING TO RUMINANT LIVESTOCK ONLY. DO NOT FEED IN CONJUNCTION WITH ANY OTHER FEEDS OR SUPPLEMENTS CONTAINING ADDITIONAL COBALT OR SELENIUM.

STORAGE: store in a cool dry place between 15-25°c, keep out of direct sunlight.

2.5ml